

## Certificate of constancy of performance

**1070 - CPR - 802**

In compliance with *Regulation (EU) No 305/2011 of the European Parliament and Council of 9 March 2011* (the Construction product Regulation or CPR), this certificate applies to the construction product

### **Structural finger jointed solid timber**

with specification of scope as listed in Appendix 1

placed on the market under the name or trade mark of

**RingAlm AS**  
Åsmarkvegen 840  
NO-2364 Næroset  
Norway

and produced in the manufacturing plant

**RingAlm AS avd. Brumund**  
Brumundvegen 829  
NO-2387 Brumunddal  
Norway

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 15497:2014**

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

### **constancy of performance of the construction product**

This certificate was first issued on 2017-09-14 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

2019-01-18



Audun Øvrum  
Managing director



## Certificate of constancy of performance, Appendix 1

1070 - CPR - 802

Scope of certification for the following products:

Product	Structural finger jointed timber
Intended use	Buildings and bridges
Strength classes, maximum cross section, wood species	C24, 75 x 225 mm, Spruce ( <i>Picea abies</i> ); C24, 50 x 225 mm, Pine ( <i>Pinus sylvestris</i> )
Natural durability classes	5 for Spruce, 5 for Pine
Reaction to fire	D-s2, d0
Adhesive	MUF - type 1
Formaldehyde emission class	E1
Service classes	1, 2, 3